



ENGINEERED BUILDING PRODUCTS

MINIGRIP



creating the **advantage**



**GENERAL PURPOSE
TIMBER FRAMING ANCHOR**

APPLICATION:

MiniGrip is ideal for use on pergolas, timber railings and decorative fences, crate and frame manufacture.

USES

- Use MiniGrip to join two timber members at right angles.

ADVANTAGES


- Heavy galvanizing ensures long life.
- By eliminating notches, halved joints and other difficult and time consuming carpentry techniques, it is ideal for both the professional builder and home handyman.

SPECIFICATIONS:

Steel Grade	G300
Thickness (Total Coated)	1.0mm
Galvanized Coating	Z275
Nails	MiTek 30 x 2.8mm hot dipped galvanized reinforced head.
Product Code	MG

MINIGRIP - INSTALLATION

1. Use four MiTek 30 x 2.8mm hot dipped galvanized reinforced head nails per connector for maximum load efficiency.



Typical MiniGrip Installation



Fix 4 MiTek nails per connector

For more information about MiTek's Engineered Building Products or any other MiTek products or your nearest licensed MiTek fabricator, please call your local state office or visit: mitek.com.au



MG 07/15

HOME OF GANG-NAIL BUILDING SYSTEMS

creating the **advantage**

VIC (03) 8795 8888 **NSW** (02) 8525 8000 **QLD** (07) 3861 2100 **SA** (08) 8234 1326 **WA** (08) 9412 3534 **New Zealand** (09) 274 7109